




CHICAGO COVID-19 UPDATE


March 30, 2020

There are **2,167** cases of COVID-19 and **16** deaths among Chicago residents as of March 30, 2020. This is an increase of **192** cases since yesterday.

Confirmed daily COVID-19 cases



Confirmed cumulative COVID-19 cases



Daily and cumulative coronavirus 2019 (COVID-19) cases reported for Chicago residents with known laboratory report date. Results for several previous days are updated each day. Note, there was one case of COVID-19 reported in January 2020 that is not included in the daily counts.

COVID-19 Morbidity and Mortality by Geography

GEOGRAPHY	CASES ¹	DEATHS	PLACES AFFECTED
Chicago	2,167	16	NA
Illinois (IDPH link)	5,056	72	52/102 COUNTRIES
U.S. (CDC link)	125,313	2,351	50/50 STATES
World (WHO link)	634,835	29,957	202/251 COUNTRIES

COVID-19 Case Characteristics for Chicago residents

CHARACTERISTIC	% TOTAL CASES ¹
Age	
0-17	1.3%
18-59	69.9%
60+	28.8%
Range	<1 to 100 years
Median	48 years
Gender	
Female	47.6%
Male	52.0%
Under investigation	0.4%
Hospitalizations²	
Never hospitalized	61.1%
Ever hospitalized ³	38.9%
Hospitalizations by age group	
0-17	0%
18-59	48.4%
60+	51.6%

COVID-19 Death Characteristics for Chicago residents

CHARACTERISTIC	DEATHS	% DEATHS WITHIN ROW GROUP
Chicago	16	0.7%
Age		
0-17	1	3.7%
18-59	3	0.2%
60+	12	1.9%
Gender		
Female	4	0.4%
Male	12	1.1%

¹Does not include persons with pending COVID-19 tests or persons with COVID-19 related illness who have not been tested.


²Among those with known hospitalization status.

³Ever hospitalized, even if discharged.


COVID-19 symptoms are similar to those of influenza, so monitoring influenza-like illness (ILI) may also help identify COVID-19. ILI activity in 2020 that is higher than what was experienced in 2019 could indicate the presence of COVID-19 in the community.

Annual influenza surveillance conducted by CDPH includes information on outpatient visits to health care providers for ILI. ILI is defined as fever (temperature of 100°F [37.8°C] or greater) and a cough and/or a sore throat without a known cause other than influenza. Emergency department (ED) visits for ILI are reported through a surveillance system called ESSENCE that captures the chief complaints of patients. Because persons over age 65 are at higher risk of severe illness due to COVID-19, we are also specifically monitoring the ED visits of older adults.

Percent of weekly outpatient visits at reporting providers due to influenza-like illness in Chicago among all age groups, 2020 vs. 2019



Percent of daily emergency department (ED) visits due to influenza-like illness in Chicago among all age groups, 2020 vs. 2019



Percent of daily emergency department (ED) visits due to influenza-like illness in Chicago among persons aged 65+, 2020 vs. 2019

